



GOVERNMENT OF PAKISTAN  
PAKISTAN ORDNANCE FACTORIES  
TENDER ENQUIRY

To \_\_\_\_\_  
M/s \_\_\_\_\_

Dear Sirs,

Reference: TENDER ENQUIRY NO. 0938-LP-45-P&S(TSD)Capt-Pur-I, dt. 09-10-2015

You are requested to submit quotations for the item(s) noted in the Schedule to the Tender. Offer should be sent duly sealed in an envelope. Please note the following instructions for filling the tender:-

1. **SUBMISSION OF TENDER**

- 1.1 Tenders will be opened at 12:30 hours on 14-11-2015 and must reach this office on or before 1200 Hours upto due date. The tender received late will not be entertained. You may witness the opening of the tender if you so desire. If a representative is deputed, he should bring a letter of authority from you.
- 1.2 Only one tender should be included in one envelope. The outside of the envelope should be inscribed with:-

Tender Enquiry No: 0938-LP-45-P&S(TSD)Capt-Pur-I, dt. 09-10-2015

Tender to be opened on: 14-11-2015

Address as follows:-

"GM-Purchase-I POF Wah Cantt – Pakistan."

- 1.3 If envelope does not indicate reference of T.E or received late the same may be returned unopened.

2. **GENERAL INSTRUCTIONS REGARDING PREPARATION OF QUOTATIONS**

- 2.1 For materials, the prices should be filled in column 5 and delivery date in column 6 of the schedule to this Tender Enquiry. The undertaking should be signed at the bottom of the Schedule which shall form the Quotation. You may use a separate sheet if necessary.
- 2.2 For Plant and Machinery, you are required to quote in two parts:-

Part I      "Technical Offer": It should exclusively give technical details and literatures/brochures of the offered plant, machinery and equipment; validity date; delivery schedule; and signed undertaking given on the schedule to this Tender Enquiry. It must not indicate price, costs etc.

**Part II**      "Commercial Offer" It should indicate the commercial terms e.g. price, terms of payment, mode of payment, mode of supply.

Each part should be placed in a separate sealed cover. The envelopes should be inscribed with: Part I "Technical Quotation without price" and Part II "Commercial Quotation with Price."

- 2.3 The quotation must remain valid for, at least 90 days from the date of opening of tenders.
- 2.4 The quotation should hold good for any reduced or enhanced quantities without notice.
- 2.5 In the event of non-acceptance of offer, intimation may be given to the Tenderers on their request.
- 2.6 Conditional offers or alternative offers are likely to be ignored.
- 2.7 Quotations should be based on:-

F.O.R. station of Dispatch basis, i.e. delivered free on rail, inclusive of packing and forwarding charges. The stores will be booked under Military Credit Note, to be provided by the purchaser. and/or

Free delivery at POF's stores at Central Stores POF Wah Cantt.  
In this case Octori duty will be payable by the supplier.

- 2.8 Taxes and Duties etc. where applicable, must be shown separately, quoting reference to Registration No. in cases of Sales Tax and relevant authority in the case of others. Offer without these clarifications and inclusive of Taxes and Duties may be ignored.
- 2.9 Taxes and duties levied on or after Tender opening date or on or after the date offer was signed and dispatched will be allowed to include in the offered rates.
- 2.10 "Suppliers will furnish a certificate, issued by Excise & Taxation Deptt, that he has cleared all Professional Tax payable by him" offers received without this certificate will be rejected.
- 2.11 Suppliers will render necessary information regarding hazardous effects on environment, of the materials/products supplied by them, in their quotations and shipping/dispatch documents.
- 2.12 If the requisite information is not furnished on the T.E forms or offer received is not conformity with the requirement of the T.E such offer shall be ignored.

### **3. INSPECTION**

- 3.1 Supplies shall be subject to the inspection and acceptance by the competent inspection authority nominated by the Purchaser, who will arrange it at his own cost. Inspection facilities such as tools, test equipment, instruments etc will, however, be provided by the Suppliers in accordance with the relevant specifications.
- 3.2 Where considered necessary by the Purchaser, stores may be obtained on Warranty/Guarantee, subject to inspection on receipt. Rejected stores will be removed and replaced with the acceptable stores by the Supplier at his own expense, within a specified time.

### **4. TENDER FEE**

The tender must be accompanied by a non-refundable fee by means of a crossed postal order/pay order for Rs 200/- in favour of Director Admin POFs Wah Cantt.

#### **4.1 TENDER SAMPLE**

Where required, offer must a company tender sample, strictly according to the description and specification given in Tender Enquiry. Offer not accompanied by tender sample will NOT be entertained excepting the established and reputable firms who have either previously satisfactorily supplied the same or similar stores or have submitted an acceptable sample thereof against previous T.E.

#### **5. BID MONEY**

**5.1 Bid Money at the rate of 1% of the quoted value, should accompany the tender in the shape of Deposit At Call Receipt., from a scheduled Bank drawn in favour of:-**

**"GM-Purchase-I POF Wah Cantt."**

**Tenders received without Bid Money will be rejected.**

**5.2 Bid Money of the unsuccessful tenderers will be returned as soon as the scrutiny of the tenders is completed. Bid Money of the successful tenderers will be retained until the contract is finalized. Bid Money will be forfeited in case the quotation is withdrawn before the expiry of its validity date.**

**5.3 State owned organizations are not required to provide Bid Money.**

#### **6. ACCEPTANCE OF OFFERS**

**6.1 POF may reject all bids or proposals at any time prior to the acceptance of a bid or proposals, but is not required to justify grounds for its rejection. POF Shall incur no liability towards suppliers or contractors who have submitted bids or proposals.**

#### **6.2 PERFORMANCE BOND**

**(a) The successful bidders shall provide Performance bond at the rate, prescribed by POF Board according to the value of contract which shall not exceed 10% of contract value,in the form of a Deposit At Call Receipt from a scheduled Bank; or, an un-conditional Bank Guarantee valid for 12 months (03 months extendable to 12 months in case of cloth items required by Clothing Fy.) after receipt of store in POFs on a prescribed format. The Performance Bond will be in favour of C.M.A. POF Wah Cantt. It will be returned on satisfactory completion of the contract.**

**(b) If the Supplier fails to furnish the Performance Bond within the specified time, such failure will constitute a breach of the contract and the Purchaser shall be entitled to make other arrangements for purchase of the stores at the risk and expense of the Supplier.**

**6.3 Performance Bond from State owned organizations may be waived off at the discretion of the Purchaser.**

#### **6.4 FAILURE TO SUPPLY THE STORES**

All deliveries must be completed by the specified date. If the failure to deliver the stores within the scheduled time should have arisen from "Force Majeure", which the Purchaser may admit as reasonable ground for further time, he will allow such additional time as he may consider to have been required by the circumstances of the case. Otherwise, he will be entitled, at his discretion, to cancel the contract; and/or, claim liquidated damages upto 2% but not less than 1% of the contract price of the items and their quantities for each and every month or part of a month, beyond the specified delivery date, during which these may not be delivered, subject to a maximum of 10% of the total contract value of the particular stores which remained unsupplied either in part or in full: or, to purchase, from elsewhere, the unsupplied stores at the risk and cost of the Supplier.

#### **6.5 PAYMENT**

**a. Payment will be made by the C.M.A (POF) through crossed cheque on receipt/acceptance of stores on our prescribed bill form supported by receipt voucher on part/full supply basis.**

b. Payment of duties /Taxes including professional tax(where applicable) must be supported by proof of having paid these to concerned Govt. Taxation Deptt:

**7. SECURITY OF INFORMATION**

The tenderer and his employees must not communicate any information relating to the sale/purchase of stores under this enquiry to any person other than the manufacturer or to any press or agent not authorized in writing by POFs to receive it.

Please return the Schedule to the Tender duly signed by the specified date, alongwith the specifications drawings etc. if any, enclosed herewith - even if you are unable to quote.

**WARNING** In case the firm abstain from making offers or fail to return/acknowledge the tender form by the specified date on three consecutive occasions, no further tender enquiry may be issued to them and their names would be liable to remove from the approved list.

Yours faithfully,

**(Muhammad Javed Akhtar)  
G.M-Purchase-I  
For PAKISTAN ORDNANCE FACTORIES**

Tele: (051) 9314101-21(21087/22126)  
Fax: (051) 9271400 & (051) 9314100

Copy to:-

1. **Dy. Dir-C. Stores & CMC**
2. **Manager-P&S(Coord)**

## PAKISTAN ORDNANCE FACTORIES

**SCHEDULE TO TENDER NO. 0938-LP-45-P&S(TSD)Capt-Pur-I, dt. 09-10-2015****(1) FOR MATERIALS**

| (1)      | (2)   | (3) | (4)  | (5)                                 |          | (6)           |
|----------|---|-----|------|-------------------------------------|----------|---------------|
| Item No. | Description with Specs. etc   | A/U | Qty. | Price Per Unit FOR or free delivery |          | Delivery Date |
|          |   |     |      | In Figures                          | In Words |               |
| 01       | Electronic Weighbridge Capacity. 150-Ton Specification attached at Annexure-A |     | No   | 01                                  | No       | Immediate     |

**(2) For plant and machinery:****Specification:-**

(3) Special Conditions      i) **Rate and sales tax must be shown separately. Otherwise your quoted rates will be considered inclusive of GST.**

ii) Offer without bid money and tender fee may not be considered.

iii) Date and stamp of the postal order must be visible.

iv) PTC issued by Punjab province must be provided.

v) Only one rate should be quoted on the tender schedule. Otherwise offered item having multiple rates may be rejected.

vi) Undertaking must be signed.

vii) Unregistered firms are required to provide Annexure-B duly filled signed and stamped alongwith quotation.

viii) As per T.E clause, 2.2 you are required to quote in two parts, each part should be placed in a separate sealed cover. The envelop should be inscribed with: Part I "Technical Quotation without price" and Part II "Commercial quotation with price."

**(4) Undertaking**

Should our offer be accepted, we hereby undertake to supply the store/render the services contracted on the basis of General Conditions of Contract embodied in Form POF 1281, and to deposit the performance bond within the prescribed time, failing which it will constitute a breach of contract, and POF will have the right to purchase the store/services elsewhere at our risk and cost.

Place \_\_\_\_\_  
 Date \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Signature of the Tenderer \_\_\_\_\_  
 Name \_\_\_\_\_  
 Position \_\_\_\_\_  
 Address \_\_\_\_\_  
 Income Tax G.I.R No. \_\_\_\_\_

**SPECIFICATION FOR ELECTRONIC WEIGH BRIDGE CAPACITY. 150-TON****TECHNICAL SPECIFICATIONS:**

Steel Platform Weighbridge Cap.150-Ton (PITLESS)      Qty: 01 No.

Steel Platform Size.18m x 3m

10mm Plain Plate Platform.

Locally fabricated with Load Cells, PC, Printer and Junction Box.

**SPECIFICATION:****DIGITAL INDICATOR WITH REMOTE DISPLAY**

|  |   |
|--|---|
| <b>Weight range</b>                              | <b>0 to 150 ton</b>   |
| <b>Type</b>                                      | <b>Digital Weight Indicator</b>   |
| <b>Accuracy</b>                                  | <b>Better than +/- 0.05% of full scale</b>                                |
| <b>Repeatability</b>                             | <b>Better than +/- 0.01% of full scale</b>                                |
| <b>Weight unit</b>                               | <b>KG / Ton</b>   |
| <b>Resolution</b>                                | <b>1 / 5 / 10 Kg (Selectable)</b>   |
| <b>Self diagnostics</b>                          | <b>On start-up</b>  |
| <b>Auto calibration</b>                          | <b>To be provided</b>   |
| <b>Manual calibration</b>                        | <b>To be provided</b>   |
| <b>Automatic / Manual tare and Zero Facility</b> | <b>To be provided</b>   |
| <b>Memory</b>                                    | <b>Capable of storing 1000 Weighment records</b>                          |
| <b>Power supply</b>                              | <b>220V ± 5, 50 HZ</b>  |
| <b>Earthing system</b>                           | <b>To be provided</b>   |
| <b>Operating temperature</b>                     | <b>-10 °C + 60 °C</b>   |
| <b>Humidity</b>                                  | <b>0 – 95 % Non Condensing</b>  |
| <b>Environment</b>                               | <b>Compact for dusty, hot, humidity condition without Air Conditioner</b> |

**PLATFORM SIZE:**      Suitable for Vehicles & Trailers upto 22 wheeler.

|   |
|---|
| • All weighbridges shall be of steel platform construction                        |
| • Bump restrictors shall be supplied to suppress excessive longitudinal movement. |

**LOAD CELL**

|                                       |  |
|---------------------------------------|--|
| <b>No. of</b>                         | <b>08 Nos or more as per capacity</b>                  |
| <b>Load Cell type</b>                 | <b>Compression type</b>                                |
| <b>Load Cells IP Protection Class</b> | <b>IP68</b>  |
| <b>Material of construction</b>       | <b>High Alloy Tool Steel</b>                           |
| <b>Over capacity</b>                  | <b>Visual warning to be provided in weight display</b> |
| <b>Max. load without damage</b>       | <b>150% of rated capacity</b>                          |
| <b>Destructive load</b>               | <b>250% of rated capacity</b>                          |

**PRINT-OUT UNIT**

- i. Sr. No.
- ii. Date & Time
- iii. Name of Contactor
- iv. Truck Registration No.
- v. Weight.

#### CABLES / JUNCTION BOX

- IP 65 protected, Stainless Steel Junction Boxes with connector-less cables for elimination of moisture or condensation related problems &
- Supply the appropriate length of steel breaded cables between the load cells to junction boxes and the weigh indicator.

#### COUNTRY OF ORIGIN

European, Japan, UK, Germany, USA.

#### SCOPE OF WORK

- Complete installation at site, testing and commissioning (including civil work) will be the responsibility of Supplier.
- After successful installation/ commissioning, the calibration of weighbridge from authorized third party will be the responsibility of the Supplier, including issuance of Calibration Certificate from third party.

#### TRAINING

Training will be provided to purchaser's 04 persons at purchaser's site for 03 working days.

#### WARRANTY / GUARANTEE

Minimum 02 years of all parts of the system from the date of handing over of system.

#### SPARES

- a) Indicator : 01 No
- b) Load Cell : 04 Nos
- c) Junction Box : 02 Nos
- d) Load Cell Coupling : 01 Set  
& accessories

- Recommended list of spares for 02 years
- Guarantee for provision of spares for 10 years.

#### MANUALS, CATALOGUES/ BROCHURES

- Operating, programming, maintenance/ service manual in English version along with installation, schematic and wiring diagram.
- PC Software for data logging and to integrate the functions of the hardware.

**SUPPLIER'S CAPABILITY**

1. NAME OF THE FIRM: \_\_\_\_\_  
ADDRESS: \_\_\_\_\_
  
- 2.1- TELE:NO: \_\_\_\_\_
- 2.2- FAX NO: \_\_\_\_\_
- 2.3- E.MAIL ADDRESS: \_\_\_\_\_
  
2. WHETHER PUBLIC LTD, PRIVATE LTD, PARTNERSHIP  
OR SOLE PROPRIETORSHIP: \_\_\_\_\_
  
3. ESTABLISHED SINCE: \_\_\_\_\_
  
4. CAPACITY: (Manufacturer / Stockist/Agent to foreign Firm):\_\_\_\_\_
  
5. IF MANUFACTURER, PROVIDE FOLLOWING DETAILS:
  - 5.1- RANGE OF PRODUCTS MANUFACTURED: \_\_\_\_\_
  
  - 5.2- DETAIL OF PLANTS, MACHINERY AND MAJOR EQUIPMENTS:  
(Attach separate sheet if required): \_\_\_\_\_
  
6. INSPECTION/QUALITY ASSURANCE FACILITIES: \_\_\_\_\_
  
7. ISO-9000 CERTIFIED IF SO ATTACH NECESSARY DOCUMENTS
  
8. IF STOCKIST, PROVIDE FOLLOWING:-
  - 11.1- DETAILS OF STOCKS HELD: \_\_\_\_\_
  
  - 11.2- APPROX. STOCK VALUE \_\_\_\_\_
  - 11.3- LOCATION OF STOCKS: \_\_\_\_\_
  
9. WHETHER THE FIRM IS REGISTERED WITH THE FOLLOWING DEPTTS.  
(Give registration No., Date and attach copies of the necessary documents).  
\_\_\_\_\_  
  
  - 10.1 DP/ARMY OR ANY GOVT./SEMI GOVT. DEPTT: \_\_\_\_\_
  - 10.2- IMPORT TRADE CONTROL DEPTT: \_\_\_\_\_
  - 10.3- SALES TAX DEPTT: \_\_\_\_\_
  - 10.4- INCOME TAX DEPTT: \_\_\_\_\_

FINANCIAL STATUS: \_\_\_\_\_  
(Bank certificate to be attached)

Signature \_\_\_\_\_

Stamp

Name: \_\_\_\_\_

Position: \_\_\_\_\_